

**Bibliografia relativa all'azione (elenco lavori e link a pdf)**

**Action C2: BIOMONITORING OF REQUALIFICATION ACTIONS IN PILOT-SCALE FIELDS**

**C2a: Biomonitoring of air pollution by moss transplants and characterization of airborne particles intercepted by biomonitor surface**

S. Giordano, P. Adamo, S. Sorbo, S. Vingiani. 2005. Atmospheric trace metal pollution in the Naples urban area based on results from moss and lichen bags. *Environmental Pollution* 136: 431-442.

[doi:10.1016/j.envpol.2005.01.017](https://doi.org/10.1016/j.envpol.2005.01.017)

Tretiach, M., Adamo, P., Bargagli, R., Baruffo, L., Carletti, L., Crisafulli, P., Giordano, S., Modenesi, P., Orlando, S., Pittao, E. 2007. Lichen and moss bags as monitoring device in urban areas, part I: influence of exposure on vitality. *Environmental Pollution* 146, 380-391.

[doi:10.1016/j.envpol.2006.03.046](https://doi.org/10.1016/j.envpol.2006.03.046)

Adamo, P., Giordano, S., Minganti V., Modenesi, P., Monaci F., Pittao E., Tretiach, M., Bargagli, R. 2007. Lichen and moss bags as monitoring device in urban areas. Part II: trace elements content in living and dead biomonitors and comparison with synthetic materials. *Environmental Pollution* 146, 392-399.

[doi:10.1016/j.envpol.2006.03.047](https://doi.org/10.1016/j.envpol.2006.03.047)

Adamo P., Giordano S., Naimo D., Bargagli R. 2008. Geochemical properties of airborne particulate matter (PM<sub>10</sub>) collected by automatic device and biomonitors in a Mediterranean urban environment. *Atmospheric Environment* 42 (2): 346-357.

[doi:10.1016/j.atmosenv.2007.09.018](https://doi.org/10.1016/j.atmosenv.2007.09.018)

Giordano S., Adamo P., Monaci F., Pittao E., Tretiach M., Bargagli R. 2009. Bags with oven-dried moss for the active monitoring of airborne trace elements in urban areas. *Environmental Pollution* 157, 2798–2805

[doi:10.1016/j.envpol.2009.04.020](https://doi.org/10.1016/j.envpol.2009.04.020)

P. Adamo , S. Giordano , A. Sforza , R. Bargagli. 2011. Implementation of airborne trace element monitoring with devitalised transplants of *Hypnum cupressiforme* Hedw.: Assessment of temporal trends and element contribution by vehicular traffic in Naples city. *Environmental Pollution* 159, 1620-1628

[doi:10.1016/j.envpol.2011.02.047](https://doi.org/10.1016/j.envpol.2011.02.047)

Ares A., Aboal J.R., Carballeira A., Giordano S., Adamo P., Fernández J.A. 2012. Moss bag biomonitoring: a methodological review. *Science of the Total Environment* 432, 143–158.

[doi:10.1016/j.scitotenv.2012.05.087](https://doi.org/10.1016/j.scitotenv.2012.05.087)

Web

[www.mossclone.eu](http://www.mossclone.eu)

## **C2b: Evaluation of the microbial community structure of contaminated soil by PCR-DGGE**

Moschetti, G., Peluso, A. L., Protopapa, A., Anastasio, M., Pepe, O., And Defez, R. 2005. Use of nodulation pattern, stress tolerance, nodC gene amplification, RAPD-PCR and RFLP-16S rDNA analysis to discriminate genotypes of *Rhizobium leguminosarum* biovar viciae. Systemat. Appl. Microbiol. 28, 619-631.

Pepe, O., Sannino, L., Palomba, S., Anastasio, M., Blaiotta, G., Villani, F., Moschetti, G.: 2010. Heterotrophic microorganisms in deteriorated medieval wall paintings in southern Italian churches. Microbiol. Research. 165, 21-32.  
doi: 10.1016/j.micres.2008.03.005

Ventorino, V., De Marco, A., Pepe, O. And Virzo, A., Piccolo, A. And Moschetti G. 2010. Response of soil microbial communities to iron-porphyrin catalytic amendments. Journal of Biotechnology, vol. 150, p. 220.  
doi: 10.1016/j.jbiotec.2010.09.242.

Pepe, O., Palomba S., Sannino, L., Blaiotta, G. Ventorino V., Moschetti G. And Villani F. 2011. Characterization of heterotrophic bacteria and fungi of deteriorated wall painting in the archaeological excavation site of Herculaneum (Italy). J. Environ. Biol. 32, 242-250.  
<http://apps.webofknowledge.com>

Palomba, S., Blaiotta, G., Saccone, A. And Pepe, O. 2011. Microbial characterization of sourdough for sweet baked products of Southern Italy by polyphasic approach. Annals of Microbiology, 61, 307-314.  
doi: 10.1007/s13213-010-0140-2

Ventorino V., Caputo R, De Pascale S., Fagnano M., Pepe O., Moschetti, G. 2012. Response to salinity stress of *Rhizobium leguminosarum* by viciae strains and their host plants. Annals of Microbiology 62, 811–823.  
doi: 10.1007/s13213-011-0322-6

Web

<http://apps.webofknowledge.com>

## **C2c: Biomonitoring of oxidative damage and characterization of reproductive health status of selected vertebrate and invertebrate species**

Guerriero G., C.E.Roselli, G. Ciarcia. 2009. The amphibian (*Rana esculenta*) brain progesterone receptor: relationship to plasma steroids and vitellogenic cycle during the gonadal recovery phase. In: H. Vaudry et al.. Trends in Comparative Endocrinology and Neurobiology. vol. 1163, p. 407-409, New York: Annals of New York Academy of Sciences.  
[doi: 10.1111/j.1749-6632.2009.04438](https://doi.org/10.1111/j.1749-6632.2009.04438)

Guerriero G.. 2009. Vertebrate sex steroid receptors: evolution, ligands, and neurodistribution. In: H. Vaudry. Trends in Comparative Endocrinology and Neurobiology. vol. 1163, p. 154-168, New York: Annals of New York Academy of Sciences.  
[doi: 10.1111/j.1749-6632.2009.04446](https://doi.org/10.1111/j.1749-6632.2009.04446)

Di Finizio A., G. Guerriero, G.L. Russo, G. Ciarcia. 2007. Identification of gadoid species (Pisces, Gadidae) by sequencing and PCR-RFLP analysis of mitochondrial 12S and 16S rRNA gene fragments.. European Food Research and Technology, vol. 225, p. 337-344.  
[doi: 10.1007/s00217-006-0420-z](https://doi.org/10.1007/s00217-006-0420-z)

Guerriero G., G.S. Prins, L. Birch, G. Ciarcia. 2005. Neurodistribution of androgen receptor-immunoreactivity in the male frog, *Rana esculenta*. In: H. Vaudry, E. Roubos, L. Schoof, G. Flik, D. Larhammar. Trends in Comparative Endocrinology and Neurobiology. vol. 1040, p. 332-336, New York:Annals of New York Academy of Sciences.  
[doi: 10.1196/annals1.327.054](https://doi.org/10.1196/annals1.327.054)

Guerriero G, A. Di Finizio, G.Ciarcia 2003. Oxidative defenses in the sea bass, *Dicentrarchus labrax*. In: Dunn, J. F. and H.M. Swartz . Oxygen Transport to Tissue XXIV. Adv Exp Med Biol.530:681-8.Plenum Publishers.  
[PMID: 14562766](https://pubmed.ncbi.nlm.nih.gov/14562766/)

Guerriero G., A. Di Finizio, G.Ciarcia. 2002. Stress-induced changes of plasma antioxidants of aquacultured sea bass, *Dicentrarchus labrax*. Comparative Biochemistry and Physiology- Part A 132: 205-211.  
[PMID 12062211](https://pubmed.ncbi.nlm.nih.gov/12062211/)

Guerriero G., G.Ciarcia. 2001. Progesterone receptor: some viewpoints on hypothalamic seasonal fluctuations in a lower vertebrate. Brain Research Reviews. 37 172-177.  
[PMID 11744085](https://pubmed.ncbi.nlm.nih.gov/11744085/)

Guerriero G., C.E.Roselli, M. Paolucci, V.Botte, G.Ciarcia. 2000. Estrogen receptors and aromatase activity in the hypothalamus of the female frog, *Rana esculenta*. Fluctuations throughout the reproductive cycle. Brain Research 880: 92-101.  
[PMID 11032993](https://pubmed.ncbi.nlm.nih.gov/11032993/)